

Physical & Chemical Tests Record Sheet (To be completed monthly)

Site Name: FISHING PLATEORN Site Code: FP							
Name of Monitoring Group: WYE RIVER WATERWATCH GROUP							
Person(s) Conducting the test: GAIL, MARK, WONHE							
Date of test:			Time of test:				am/pm
Site Risk Assessment Completed: signature please: Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below							
Test Result (units)			Calculations, dilutions				
Dissolved Oxygen	8-8 mg/L		83 % sat.				
Water Temperature			12	° C			
Air Temperature			13°C				
рН	Meter calibrated to pH 7 & pH 10		1.3 1 pH units				
Electrical Conductivity (Salinity)	Meter calibrated to 1413, 2,000 or 12,880EC		units S/cm.				
Reactive Phosphorus	•045			g/L P			
Turbidity	3-2\ N.T.U.			.T.U.			
Weather conditions at the time of sampling:							
sunny c	loudy	1	overcast		raining		windy
Rainfall:			/				
	More than week ago		During the last week		During the last 24 hours		Raining now
Amount of rain (mm) Water flow							
Flow indicator (if available)	ML/day	Water	appearance				
Estimate of flow	Not flowing (still)		Clear		Milky		Foamy/frothy
☐ Not flowing (pool) ☐	Low (minimum)		Muddy		Smelly		Stained green
Medium (average)	High (but below bankfull)		Scummy		Oily		Stained brown
☐ Flood (over bank) ☐	Permanent (lakes & wetlands)						
Stream depth Depth indicatorm	0 - 50 cm deep		51cm-1m deep	V	1 to 2 m deep		Unknown depth
Stream width Average width of stream:	m		< 2 m wide		2 to 5 m wide	V	>5 m wide
Drain present at site: no yes Water flowing from			drain: yes	:	Odour		
Litter pollutants: (Tick type f	ound)		plastic		clothing		car bodies
paper	bottles		polystyrene		oil		petrol/diesel
packets	cans	1 1	waxed cardboard		other		
Circumstantial hazards and a	Waterwatch Data Management System: Data entry						
Hazard: SHAKES Ri		Person entering site visit information					
Risk Control Measures: FOOTWEAR ALERT			Date of entry Site visit approved by Coordinator (initial and date)				
100	one visit approved	it approved by Coordinator (initial and date)					