

Physical & Chemical Tests Adult Volunteers Record Sheet



Office Use Only Data entered/checked: / / Waterwatch Officer:

Name of monitoring group/person: Herman

Site name/location: BON ACCORD TRACK HARBORVILLE Site Code: (if available) NE-OVE004

Date of test: 2 / 9 / 17 Time of Test: 2:45 am / pm

Record the result for each of the tests you conducted in the table below.

What did you test?	Y/N	What it measures	Results	Comments	Equipment Calibration Date
Dissolved Oxygen		Oxygen concentration	mg/L (ppm) <u>10.1 ppm</u>		
			% sat <u>87%</u>		
Temperature		Temperature of water	<u>8.6</u> °C		
pH		Acids / Alkalines	<u>7.37</u> units		
Electrical Conductivity		Salinity	<u>—</u> µS/cm	METER READING 0.0 NOT WORKING OK ON PH.	
Reactive Phosphorus		Nutrient levels	PO4 mg/L <u>0.09 ppm</u>		
Turbidity		Suspended solids	N.T.U. <u>CLEAR</u>		

Weather Condition Sunny Cloudy Overcast Raining Windy

Rainfall
Last rainfall More than a week ago During the last week, During the past 24 hours, Raining now
Amount of rain (mm) 100mm plus

Water Flow
Flow indicator (ML/Day)
Estimate of flow FLOOD/OVERBANK, BANKFULL, HIGH, MEDIUM, LOW DRY, POOLS, STAGNANT, PERMANENT

Water Appearance
Water Appearance Clear, Stained brown, Stained green, Scummy, Muddy, Smelly, Milky,
Foamy/frothy, Oily Other BLUBBISH, GREENISH GREEN
Stream depth 0 - 50cm 51cm - 99cm 1m - 2m >2m Other _____
Stream width <20m 2m - 5m > 5m Other _____