

# Physical & Chemical Tests Adult Volunteers Record Sheet



Office Use Only      Data entered/checked:    /    /      Waterwatch Officer:

Name of monitoring group/person:      Herman Brunink

Site name/location :      Ovens River, Monarch Lane, Harrietteville      Site Code: **NE\_OVE011**  
(if available)

Date of test :    1 / 1 / 18      Time of Test :    4:00      am / pm

Record the result for each of the tests you conducted in the table below.

What did you test?	Y/N	What it measures	Results	Comments	Equipment Calibration Date
Dissolved Oxygen		Oxygen concentration	mg/L (ppm) 6.5 PPM		
			% sat 75		
Temperature		Temperature of water	20.6 °C		
pH		Acids / Alkalines	7.63 units		
Electrical Conductivity		Salinity	76.5 µS/cm		
Reactive Phosphorus		Nutrient levels	PO4 mg/L 0.08 PPM	Fill out LHS on data entry	
Turbidity		Suspended solids	N.T.U CLEAR		

Weather Condition      Sunny    Cloudy    Overcast    Raining    Windy

Rainfall  
Last rainfall      More than a week ago,    During the last week    During the past 24 hours,    Raining now  
Amount of rain (mm)    54 mm

Water Flow  
Flow indicator (ML/Day)  
Estimate of flow      FLOOD/OVERBANK, BANKFULL, HIGH, MEDIUM, LOW DRY, POOLS, STAGNANT, PERMANENT

Water Appearance  
Water Appearance    Clear    Stained brown,    Stained green,    Scummy,    Muddy,    Smelly,    Milky,  
Foamy/frothy,    Oily      Other \_\_\_\_\_  
Stream depth      0 - 50cm    51cm - 99cm    1m - 2m    >2m    Other \_\_\_\_\_  
Stream width      <20m    2m - 5m    > 5m    Other