

Physical & Chemical Tests Adult Volunteers Record Sheet



Office Use Only	Data entered/checked: / /	Waterwatch Officer:
Name of monitoring group/person: Simon Law		
Site name/location : Ovens River German Creek Confluence		Site Code: NE_OVE014 (if available)
Date of test : 27 / 4 / 18		Time of Test : 10:40 am / pm
GPS Coordinates Northing : Easting :		

Record the result for each of the tests you conducted in the table below.

What did you test?	Y/N	What it measures	Results	Comments	Equipment Calibration Date
Dissolved Oxygen		Oxygen concentration	mg/L (ppm) 4.6		
			% sat		
Temperature		Temperature of water	12.6 °C		
pH		Acids / Alkalines	7.0 units		✓
Electrical Conductivity		Salinity	84 µS/cm	84	✓
Reactive Phosphorus		Nutrient levels	PO4 mg/L 0.0	Fill out LHS on data entry	
Turbidity		Suspended solids	N.T.U <9		

Weather Condition	<u>Sunny</u> Cloudy Overcast Raining Windy
-------------------	--

Rainfall	
Last rainfall	More than a week ago, <u>During the last week</u> , During the past 24 hours, Raining now
Amount of rain (mm)	

Water Flow	
Flow indicator (ML/Day)	
Estimate of flow	FLOOD/OVERBANK, BANKFULL, HIGH, <u>MEDIUM</u> , LOW DRY, POOLS, STAGNANT, PERMANENT

Water Appearance	
Water Appearance	<u>Clear</u> , Stained brown, Stained green, Scummy, Muddy, Smelly, Milky, Foamy/frothy, Oily Other _____
Stream depth	0 - 50cm <u>51cm - 99cm</u> 1m - 2m >2m Other _____
Stream width	<2m 2m - 5m <u>> 5m</u> Other _____