

PHYSICAL & CHEMICAL TESTS RECORD



Book No

Complete the Physical & Chemical Tests Record Sheet each time you undertake the tests.

Site name: Yackandandah Ck-Osbornes Flat Adsite code: NE-YAC 012			
Name of monitoring group:			
Person(s) conducting			
the survey / test: Greg Arnol G			
GPS Coordinates: Easting: Northing: Northing:			
	4	ime of survey: 09 30	(am) pm
Test	What it measures	Your result (units)	Comments
Dissolved Oxygen	Oxygen concentration	6.0 mg/L 57 %sat.	
Reactive Phosphorus	Nutrient levels	0.030 mg/L	
Turbidity	Suspended solids	0 N.T.U.	
Electrical Conductivity	Salinity	31.6 E.C.	81.6
рН	Acidity / alkalinity		7.28
Water Temperature	Temperature	13.6 ℃	
Distance from drain to monitoring site: meters upstream or downstream Type: open drain pipe Flow: drain flowing drain not flowing Drain open drain width pipe diameter Description of drain water: Colour Odour Weather conditions at the time of sampling: sunny cloudy overcast raining windy			
Last Rainfall: more than a week ago during the last week during the last 24 hours raining now Amount of rainfall: 45mm			
Water Conditions Water Appearance: Uclear milky foamy / frothy stained green scummy oily oily stained brown other (description)			
Litter pollutants: (Tick type found)			
paper polystyrene petrol/diesel		ckets cans thing oil	plastic car bodies
Comments:			