

Physical & Chemical Tests

Adult Volunteers Record Sheet



Office Use Only	Data entered/checked: / /	Waterwatch Officer:
Name of monitoring group/person: Simon Law		
Site name/location : Ovens River German Creek Confluence		Site Code: NE_OVE014 (if available)
Date of test : 25 / Aug / 2019		Time of Test : 10:30 am / pm
GPS Coordinates	Northing :	Easting :

Record the result for each of the tests you conducted in the table below.

What did you test?	Y/N	What it measures	Results	Comments	Equipment Calibration Date
Dissolved Oxygen		Oxygen concentration	mg/L (ppm)		
			9		
			% sat		
Temperature		Temperature of water	8.3 °C		
pH		Acids / Alkalines	7.6 units		
Electrical Conductivity		Salinity	198 µS/cm		
Reactive Phosphorus		Nutrient levels	PO4 mg/L 0.07	Fill out LHS on data entry	
Turbidity		Suspended solids	N.T.U 49		

Weather Condition	<u>Sunny</u> Cloudy Overcast Raining Windy
-------------------	--

Rainfall			
Last rainfall	More than a week ago,	<u>During the last week,</u>	During the past 24 hours, Raining now
Amount of rain (mm)			

Water Flow	
Flow indicator (ML/Day)	
Estimate of flow	FLOOD/OVERBANK, BANKFULL, <u>HIGH</u> , MEDIUM, LOW DRY, POOLS, STAGNANT, PERMANENT

Water Appearance	
Water Appearance	Clear, <u>Stained brown</u> , Stained green, Scummy, Muddy, Smelly, Milky, Foamy/frothy, Oily Other _____
Stream depth	0 - 50cm 51cm - 99cm <u>1m - 2m</u> >2m Other _____
Stream width	<2m 2m - 5m <u>> 5m</u> Other _____