## Physical & Chemical Tests Adult Volunteers Record Sheet



Office Use Only	Data ente	ered/checked:		Wate	erwatch Officer:	neascentrie 1445 havi and an eight citiz i strict artist artist ar
Name of monitoring	g group/	person:	Herman Brunin	k		
Site name/location	: Ovens	River, Monarch	Lane Harrietville	· ·	Site Code: NE_OVE011 (if available)	
Date of test : 29	' U	120	Time of Test :	3.45	am / pm	
GPS Coordinates		Northing:			Easting :	
Record the result f	or each	of the tests you c	onducted in the	table below		
What did you test?	Y/N	What it measures	Results		Comments	Equipment Calibration Date
Dissolved Oxygen		Oxygen concentration	mg/L (ppm) 5.1 PPM % sat			
Temperature		Temperature of water	18°°c			
рН		Acids / Alkalines	6-91	kontroller ett för en statt film ett f		
Electrical Conductivity		Salinity	μS/cm 40			erre de de la companya de la company
Reactice Phosphorus		Nutrient levels	PO4 mg/L	P mg/L		10
Turbidity		Suspended solids	N.T.U CLEAL	THE CONTRACT OF THE STATE OF TH		
Weather Condition Sunny Cloudy Overcast Raining Windy						
Rainfall Last rainfall Amount of rain (mn	1		ing the last week, (	During the pa	st 24 hours Raining now	
Water Flow Flow indicator (ML/ Estimate of flow		/OVERBANK, BANK	KFULL, HIGH, MEI	DIUM, LOW D	RY, POOLS, STAGNANT, PE	RMANENT
Water Appearance Water Appearance	Clear	Stained brown,	Stained green, Other	Scummy,	Muddy, Smelly, Milky,	
Stream depth	0 - 50c	m 51cm - 99c	m 1m - 2m	>2m C	other	and opposite American American