



Communities Caring for Catchments

Physical & Chemical Tests Record Sheet

(To be completed monthly)

Site Name: <u>Greenhill Avenue bridge</u>		Site Code: <u>FOR680</u>
Name of Monitoring Group: <u>RiverScan - Native Fish Recovery Plan</u> <u>C'maine Landcare</u>		
Person(s) Conducting the test: <u>Anne</u>		
Date of test: <u>24/4/21</u>	Time of test: <u>1:35</u> am/pm	
Site Risk Assessment Completed: <input type="checkbox"/> signature please: Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below		
Test	Result (units)	Calculations, dilutions and comments
Dissolved Oxygen	<u>—</u> mg/L <u>—</u> % sat.	
Water Temperature	<u>14.6</u> °C	
Air Temperature	<u>16.7</u> °C	
pH	Meter calibrated to <input checked="" type="checkbox"/> pH 7 or <input type="checkbox"/> pH 10 <u>8.1</u> pH units	
Electrical Conductivity (Salinity)	Meter calibrated to <input checked="" type="checkbox"/> 1413, <input type="checkbox"/> 12,880Ec <u>620</u> EC units μ S/cm.	
Reactive Phosphorus	<u>0.00</u> mg/L P	
Turbidity	<u>= 10</u> N.T.U	
Weather conditions at the time of sampling:		
<input type="checkbox"/> sunny <input type="checkbox"/> cloudy <input checked="" type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy		
Rainfall:		
Last rainfall: <input type="checkbox"/> More than week ago <input checked="" type="checkbox"/> During the last week <input type="checkbox"/> During the last 24 hours <input type="checkbox"/> Raining now		
Amount of rain (mm) <u>5.0</u>		
Water flow		
Flow indicator (if available) _____ ML/day		
Estimate of flow		
<input type="checkbox"/> Not flowing (pool) <input checked="" type="checkbox"/> Low (minimum) <input type="checkbox"/> High (but below bankfull) <input type="checkbox"/> Permanent (lakes & wetlands)		
<input type="checkbox"/> Medium (average) <input type="checkbox"/> Flood (over bank)		
Water appearance		
<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Milky <input type="checkbox"/> Foamy /frothy		
<input type="checkbox"/> Muddy <input type="checkbox"/> Smelly <input type="checkbox"/> Stained green		
<input type="checkbox"/> Scummy <input type="checkbox"/> Oily <input type="checkbox"/> Stained brown		
<input type="checkbox"/> Other (description)		
Stream depth		
Depth indicator _____ m <input checked="" type="checkbox"/> 0 - 50 cm deep <input type="checkbox"/> 51cm-1m deep <input type="checkbox"/> 1 to 2 m deep <input type="checkbox"/> Unknown depth		
Stream width		
Average width of stream: _____ m <input type="checkbox"/> < 2 m wide <input checked="" type="checkbox"/> 2 to 5 m wide <input type="checkbox"/> >5 m wide		
Drain present at site: <input type="checkbox"/> no <input type="checkbox"/> yes Water flowing from drain: <input type="checkbox"/> yes Colour _____ Odour _____		
Litter pollutants: (Tick type found)		
<input type="checkbox"/> plastic <input type="checkbox"/> clothing <input type="checkbox"/> car bodies		
<input type="checkbox"/> paper <input type="checkbox"/> bottles <input type="checkbox"/> polystyrene <input type="checkbox"/> oil <input type="checkbox"/> petrol/diesel		
<input type="checkbox"/> packets <input type="checkbox"/> cans <input type="checkbox"/> waxed cardboard <input type="checkbox"/> other		
Circumstantial hazards and additional risks		Waterwatch data management system: Data entry
Hazard:	Risk:	Person entering site visit information
Risk Control Measures:		Date of entry
		Site visit approved by Coordinator (initial and date)