

04 FEB 2021



Communities Caring for Catchments

**Physical & Chemical Tests Record Sheet**  
(To be completed monthly)

Site Name:		Site Code: <i>CAM 768</i>	
Name of Monitoring Group:			
Person(s) Conducting the test:			
Date of test: <i>6/4/2020</i>		Time of test: <i>11:30</i> am/pm	
Site Risk Assessment Completed: <input type="checkbox"/> signature please:			
Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below			
Test		Result (units)	
Dissolved Oxygen	mg/L	% sat.	
Water Temperature	° C <i>17</i>		
Air Temperature	° C <i>18</i>		
pH	Meter calibrated to		pH 7 & <input type="checkbox"/> pH 10
	pH units <i>7.0</i>		
Electrical Conductivity (Salinity)	Meter calibrated to		<input type="checkbox"/> 12,880EC <input type="checkbox"/> 1413, <input type="checkbox"/> 2,000 or
	EC units	<i>623</i> µS/cm	
Reactive Phosphorus	mg/L P	<i>0.01</i>	
Turbidity	N.T.U	<i>2.30</i>	
Weather conditions at the time of sampling:			
<input type="checkbox"/> sunny <input type="checkbox"/> cloudy <input type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy			
Rainfall:			
Last rainfall: <input type="checkbox"/> More than week ago <input type="checkbox"/> During the last week <i>4.3</i> <input type="checkbox"/> During the last 24 hours <i>3mm</i> <input type="checkbox"/> Raining now			
Amount of rain (mm)			
Water flow		Flow indicator (if available) _____ ML/day	
Estimate of flow		<input type="checkbox"/> Not flowing (still) <input checked="" type="checkbox"/> Low (minimum) <input type="checkbox"/> High (but below bankfull) <input checked="" type="checkbox"/> Medium (average) <input type="checkbox"/> Flood (over bank) & wetlands)	
Water appearance		<input type="checkbox"/> Clear <input type="checkbox"/> Milky <input type="checkbox"/> Foamy/frothy <input type="checkbox"/> Muddy <input type="checkbox"/> Smelly <input type="checkbox"/> Stained green <input type="checkbox"/> Scummy <input type="checkbox"/> Oily <input checked="" type="checkbox"/> Stained brown <input type="checkbox"/> Other (description)	
Stream depth	Stream depth indicator _____ m	<input type="checkbox"/> 0 - 50 cm deep <input type="checkbox"/> 51cm-1m deep <input checked="" type="checkbox"/> 1 to 2 m deep <input type="checkbox"/> Unknown depth	
Stream width	Average width of stream: _____ m	<input type="checkbox"/> < 2 m wide <input type="checkbox"/> 2 to 5 m wide <input checked="" type="checkbox"/> > 5 m wide	
Drain present at site: <input type="checkbox"/> no <input type="checkbox"/> yes    Water flowing from drain: <input type="checkbox"/> yes <input type="checkbox"/> no    Color _____ Odour _____			
Litter pollutants: (Tick type found)			
<input type="checkbox"/> paper <input type="checkbox"/> bottles <input type="checkbox"/> polystyrene <input type="checkbox"/> oil <input type="checkbox"/> petrol/diesel <input type="checkbox"/> packets <input type="checkbox"/> cans <input type="checkbox"/> waxed cardboard <input type="checkbox"/> other <input type="checkbox"/> plastic <input type="checkbox"/> clothing <input type="checkbox"/> car bodies			
Circumstantial hazards and additional risks			
Waterwatch data management system: Data entry			
Hazard:		Risk:	
Site visit approved by Coordinator (initial and date)			



# Physical & Chemical Tests Record Sheet

(To be completed monthly)

Site Name:		Site Code: <i>247768</i>	
Name of Monitoring Group:			
Person(s) Conducting the test: <i>JOHN GHOAT</i>			
Date of test: <i>3/5/2020</i>		Time of test: <i>12:15</i>	
Site Risk Assessment Completed: <input type="checkbox"/> signature please:			
Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below			
Test		Result (units)	
Dissolved Oxygen		mg/L	
Water Temperature		°C <i>16</i>	
Air Temperature		°C <i>17</i>	
pH		pH units <i>7.1</i>	
Electrical Conductivity		EC units <i>423</i>	
Reactive Phosphorus		mg/L P <i>0.03</i>	
Turbidity		N.T.U. <i>140</i>	
Weather conditions at the time of sampling:			
<input checked="" type="checkbox"/> sunny <input type="checkbox"/> cloudy <input type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy			
Rainfall:			
Last rainfall: <input checked="" type="checkbox"/> More than week ago <input checked="" type="checkbox"/> During the last week <i>59</i> <input type="checkbox"/> During the last 24 hours <input type="checkbox"/> Raining now			
Amount of rain (mm) <i>57</i>			
Water flow		Flow indicator (if available) _____ ML/day	
Estimate of flow		<input type="checkbox"/> Not flowing (still) <input checked="" type="checkbox"/> Low (minimum) <input checked="" type="checkbox"/> High (but below bankfull) <input type="checkbox"/> Permanent (lakes & wetlands)	
Stream depth		Depth indicator _____ m	
Stream width		Average width of stream: _____ m	
<input type="checkbox"/> > 2 m wide <input type="checkbox"/> 2 to 5 m wide <input checked="" type="checkbox"/> > 5 m wide			
Drain present at site: <input type="checkbox"/> no <input type="checkbox"/> yes    Water flowing from drain: <input type="checkbox"/> yes <input type="checkbox"/> no    Color _____ Odour _____			
Litter pollutants: (Tick type found)			
<input type="checkbox"/> paper <input type="checkbox"/> bottles <input type="checkbox"/> plastic <input type="checkbox"/> clothing <input type="checkbox"/> car bodies <input type="checkbox"/> petrol/diesel			
Circumstantial hazards and additional risks			
Hazard: _____ Risk: _____ Waterwatch data management system: Data entry _____ Person entering site visit information _____ Date of entry _____ Site visit approved by Coordinator (initial and date) _____			

*Water appearance*

<input type="checkbox"/> Clear	<input type="checkbox"/> Milky	<input type="checkbox"/> Foamy/frothy
<input checked="" type="checkbox"/> Muddy	<input type="checkbox"/> Smelly	<input type="checkbox"/> Stained green
<input type="checkbox"/> Scummy	<input type="checkbox"/> Oily	<input type="checkbox"/> Stained brown
<input type="checkbox"/> Other (description)		

*Stream depth*

<input type="checkbox"/> 0 - 50 cm deep	<input type="checkbox"/> 51 cm - 1 m deep	<input checked="" type="checkbox"/> 1 to 2 m deep	<input type="checkbox"/> Unknown depth
---	---	---	--

*Stream width*

<input type="checkbox"/> > 2 m wide	<input type="checkbox"/> 2 to 5 m wide	<input checked="" type="checkbox"/> > 5 m wide
-------------------------------------	--	--

*Drain present at site*

<input type="checkbox"/> no	<input type="checkbox"/> yes
-----------------------------	------------------------------

*Water flowing from drain*

<input type="checkbox"/> yes	<input type="checkbox"/> no
------------------------------	-----------------------------

*Color* \_\_\_\_\_ *Odour* \_\_\_\_\_

*Litter pollutants: (Tick type found)*

<input type="checkbox"/> paper	<input type="checkbox"/> bottles	<input type="checkbox"/> plastic	<input type="checkbox"/> clothing	<input type="checkbox"/> car bodies
<input type="checkbox"/> packets	<input type="checkbox"/> cans	<input type="checkbox"/> waxed cardboard	<input type="checkbox"/> other	<input type="checkbox"/> petrol/diesel





**Physical & Chemical Tests Record Sheet**  
(To be completed monthly)

Communities Caring for Catchments

Site Name: \_\_\_\_\_ Site Code: **PAM 768**

Name of Monitoring Group: \_\_\_\_\_

Person(s) Conducting the test: **John Groat**

Date of test: **10/6/2020** Time of test: **11:45** am/pm

Site Risk Assessment Completed:  signature please: \_\_\_\_\_

Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below

Test	Result (units)	Calculations, dilutions and comments
Dissolved Oxygen	mg/L _____	% sat. _____
Water Temperature	° C <b>11</b>	
Air Temperature	° C <b>12</b>	
pH	Meter calibrated to pH 7 & pH 10 <input type="checkbox"/>	pH units <b>7.2</b>
Electrical Conductivity	Meter calibrated to 1413, 2,000 or 12,880EC <input type="checkbox"/>	EC units <b>1492</b>
Reactive Phosphorus	mg/L P <b>0.03</b>	
Turbidity	N.T.U. <b>740</b>	

**Weather conditions at the time of sampling:**  
 sunny  cloudy  overcast  raining  windy

**Rainfall:**  
 Last rainfall:  More than week ago **9 m m**  
 During the last week  
 During the last 24 hours  
 Raining now

**Water flow**  
 Flow indicator (if available) \_\_\_\_\_ ML/day  
**Estimate of flow**  
 Not flowing (still)  
 Low (minimum)  
 High (but below bankfull)  
 Medium (average)  
 Flood (over bank) & wetlands)  
**Water appearance**  
 Clear  Milky  Foamy/frothy  
 Muddy  Smelly  Stained green  
 Scummy  Oily  Stained brown  
 Other (description)

**Stream depth**  
 Depth indicator \_\_\_\_\_ m  
 0 - 50 cm deep  51cm-1m deep  1 to 2 m deep  Unknown depth

**Stream width**  
 Average width of stream: \_\_\_\_\_ m  
 < 2 m wide  2 to 5 m wide  > 5 m wide

**Drain present at site:**  no  yes  
 Water flowing from drain:  yes  no  
 Color \_\_\_\_\_ Odour \_\_\_\_\_  
**Litter pollutants: (Tick type found)**  
 paper  bottles  polystyrene  waxed cardboard  packets  cans  
 plastic  clothing  car bodies  petrol/diesel  other

**Circumstantial hazards and additional risks**  
 Hazard: \_\_\_\_\_ Risk: \_\_\_\_\_  
 Person entering site visit information \_\_\_\_\_  
 Date of entry \_\_\_\_\_  
 Site visit approved by Coordinator (initial and date) \_\_\_\_\_  
**Waterwatch data management system: Data entry**



**Physical & Chemical Tests Record Sheet**  
(To be completed monthly)

Site Name:		Site Code: <i>CAM 768</i>	
Name of Monitoring Group:			
Person(s) Conducting the test:			
Date of test: <i>6/7/20</i>		Time of test: <i>2.20 am/pm</i>	
Site Risk Assessment Completed: <input type="checkbox"/> signature please:			
Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below			
Test	Result (units)	Calculations, dilutions and comments	
Dissolved Oxygen	mg/L	% sat.	
Water Temperature	°C	<i>12</i>	
Air Temperature	°C	<i>16</i>	
pH	Meter calibrated to	pH 7 & <input type="checkbox"/> pH 10	
	Meter calibrated to	EC units	
Electrical Conductivity (Salinity)	EC units	<i>507</i>	
	µS/cm.	mg/L P	
Reactive Phosphorus	mg/L P	<i>0.02</i>	
Turbidity	N.T.U	<i>1.30</i>	
Weather conditions at the time of sampling:			
<input type="checkbox"/> sunny <input checked="" type="checkbox"/> cloudy <input type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy			
Rainfall:			
Last rainfall: <input type="checkbox"/> More than week ago <input checked="" type="checkbox"/> During the last week <i>2</i> <input type="checkbox"/> During the last 24 hours <input type="checkbox"/> Raining now			
Amount of rain (mm)			
Water flow		Flow indicator (if available) _____ ML/day	
Estimate of flow		<input type="checkbox"/> Not flowing (still) <input checked="" type="checkbox"/> Low (minimum) <input type="checkbox"/> High (but below bankfull) <input type="checkbox"/> Medium (average) <input checked="" type="checkbox"/> Flood (over bank) & wetlands	
Water appearance		<input type="checkbox"/> Clear <input type="checkbox"/> Milky <input type="checkbox"/> Foamy/frothy <input checked="" type="checkbox"/> Muddy <input type="checkbox"/> Smelly <input type="checkbox"/> Stained green <input type="checkbox"/> Scummy <input type="checkbox"/> Oily <input type="checkbox"/> Stained brown <input type="checkbox"/> Other (description)	
Stream depth	Depth indicator _____ m	<input type="checkbox"/> 0 - 50 cm deep <input type="checkbox"/> 51cm-1m deep <input checked="" type="checkbox"/> 1 to 2 m deep <input type="checkbox"/> Unknown depth	
Stream width	Average width of stream: _____ m	<input type="checkbox"/> < 2 m wide <input type="checkbox"/> 2 to 5 m wide <input checked="" type="checkbox"/> > 5 m wide	
Drain present at site: <input type="checkbox"/> no <input type="checkbox"/> yes    Water flowing from drain: <input type="checkbox"/> yes <input type="checkbox"/> no    Color _____ Odour _____			
Litter pollutants: (Tick type found)			
<input type="checkbox"/> paper <input type="checkbox"/> bottles <input type="checkbox"/> plastic <input type="checkbox"/> clothing <input type="checkbox"/> car bodies <input type="checkbox"/> packets <input type="checkbox"/> cans <input type="checkbox"/> waxed cardboard <input type="checkbox"/> other <input type="checkbox"/> petrol/diesel			
Circumstantial hazards and additional risks			
Waterwatch data management system: Data entry			
Hazard:		Risk:	
Risk Control Measures:			
Date of entry		Site visit approved by Coordinator (initial and date)	





**Physical & Chemical Tests Record Sheet**  
(To be completed monthly)

Site Name:		Site Code: CAM 768	
Name of Monitoring Group:			
Person(s) Conducting the test: John Grant			
Date of test: 25/8/2020		Time of test: 2.40 pm	
Site Risk Assessment Completed: <input type="checkbox"/> signature please:			
Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below			
Test	Result (units)	Calculations, dilutions and comments	
Dissolved Oxygen	mg/L	% sat.	
Water Temperature	°C	11	
Air Temperature	°C	15	
pH	Meter calibrated to	pH 7 & <input type="checkbox"/> pH 10	
	Meter calibrated to	EC units	
Electrical Conductivity (Salinity)	<input type="checkbox"/> 12,880EC	1413, <input type="checkbox"/> 2,000 or	
	mg/L P	0.20	
Turbidity	N.T.U	< 60	
Weather conditions at the time of sampling:			
<input checked="" type="checkbox"/> sunny <input type="checkbox"/> cloudy <input type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy			
Rainfall:			
Last rainfall: <input type="checkbox"/> More than week ago <input checked="" type="checkbox"/> During the last week <sup>4</sup> <input type="checkbox"/> During the last 24 hours <input type="checkbox"/> Raining now			
Amount of rain (mm)			
Water flow		Flow indicator (if available) _____ ML/day	
Estimate of flow		<input type="checkbox"/> Not flowing (still) <input checked="" type="checkbox"/> Low (minimum) <input type="checkbox"/> High (but below bankfull) <input type="checkbox"/> Permanent (lakes & wetlands)	
Water appearance		<input type="checkbox"/> Clear <input checked="" type="checkbox"/> Muddy <input type="checkbox"/> Scummy <input type="checkbox"/> Other (description)	
Stream depth		Depth indicator _____ m <input type="checkbox"/> 0 - 50 cm deep <input type="checkbox"/> 51cm-1m deep <input checked="" type="checkbox"/> 1 to 2 m deep <input type="checkbox"/> Unknown depth	
Stream width		Average width of stream: _____ m <input type="checkbox"/> < 2 m wide <input type="checkbox"/> 2 to 5 m wide <input checked="" type="checkbox"/> > 5 m wide	
Drain present at site: <input type="checkbox"/> no <input type="checkbox"/> yes			
Water flowing from drain: <input type="checkbox"/> yes <input type="checkbox"/> no			
Color _____ Odour _____			
Litter pollutants: (Tick type found)			
<input type="checkbox"/> paper	<input type="checkbox"/> bottles	<input type="checkbox"/> polystyrene	<input type="checkbox"/> oil
<input type="checkbox"/> packets	<input type="checkbox"/> cans	<input type="checkbox"/> waxed cardboard	<input type="checkbox"/> other
<input type="checkbox"/> plastic	<input type="checkbox"/> clothing	<input type="checkbox"/> car bodies	<input type="checkbox"/> petrol/diesel
Circumstantial hazards and additional risks			
Waterwatch data management system: Data entry			
Hazard:		Risk:	
Risk Control Measures:			
Date of entry			
Site visit approved by Coordinator (initial and date)			



**Physical & Chemical Tests Record Sheet**  
(To be completed monthly)

Site Name:		Site Code: <b>CHM 768</b>	
Name of Monitoring Group:			
Person(s) Conducting the test: <b>John Gray</b>			
Date of test: <b>9/10/2020</b>		Time of test: <b>4:10</b>	
Site Risk Assessment Completed: <input type="checkbox"/> signature please:			
Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below			
Test	Result (units)	Calculations, dilutions and comments	
Dissolved Oxygen	mg/L	% sat.	
Water Temperature	°C	<b>14</b>	
Air Temperature	°C	<b>18</b>	
pH	Meter calibrated to	pH 7 & <input type="checkbox"/> pH 10	
	Meter calibrated to	EC units	
Electrical Conductivity (Salinity)	<input type="checkbox"/> 1413, <input type="checkbox"/> 2,000 or <input type="checkbox"/> 12,880EC	<b>542</b>	
	Reactive Phosphorus	mg/L P	<b>0.02</b>
Turbidity	N.T.U	<b>730</b>	
Weather conditions at the time of sampling:			
<input type="checkbox"/> sunny <input type="checkbox"/> cloudy <input type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy			
Rainfall:			
Last rainfall: <input type="checkbox"/> More than week ago <input checked="" type="checkbox"/> During the last week <b>12 mm</b> <input type="checkbox"/> During the last 24 hours <input type="checkbox"/> Raining now			
Amount of rain (mm)			
Water flow		Flow indicator (if available) _____ ML/day	
Estimate of flow		<input type="checkbox"/> Not flowing (still)	
Not flowing (pool)		<input type="checkbox"/> Low (minimum)	
High (but below bankfull)		<input type="checkbox"/> Permanent (lakes & wetlands)	
Flood (over bank)		<input type="checkbox"/> Other (description)	
Water appearance			
Clear		<input type="checkbox"/> Milky	
Muddy		<input type="checkbox"/> Smelly	
Scummy		<input type="checkbox"/> Oily	
Stained green		<input type="checkbox"/> Stained brown	
Foamy/frothy		<input type="checkbox"/> Other (description)	
Stream depth	Depth indicator _____ m	<input type="checkbox"/> 0 - 50 cm deep <input type="checkbox"/> 51cm-1m deep <input checked="" type="checkbox"/> 1 to 2 m deep <input type="checkbox"/> Unknown depth	
Stream width	Average width of stream: _____ m	<input type="checkbox"/> < 2 m wide <input type="checkbox"/> 2 to 5 m wide <input checked="" type="checkbox"/> > 5 m wide	
Drain present at site: <input type="checkbox"/> no <input type="checkbox"/> yes    Water flowing from drain: <input type="checkbox"/> yes <input type="checkbox"/> no    Color _____ Odour _____			
Litter pollutants: (Tick type found)			
<input type="checkbox"/> paper		<input type="checkbox"/> bottles	
<input type="checkbox"/> cans		<input type="checkbox"/> waxed cardboard	
<input type="checkbox"/> plastic		<input type="checkbox"/> clothing	
<input type="checkbox"/> car bodies		<input type="checkbox"/> petrol/diesel	
Circumstantial hazards and additional risks			
Waterwatch data management system: Data entry			
Hazard:		Risk:	
Risk Control Measures:			
Date of entry		Site visit approved by Coordinator (initial and date)	



**Physical & Chemical Tests Record Sheet**  
(To be completed monthly)

Site Name:		Name of Monitoring Group:	
Person(s) Conducting the test:		Date of test:	
28/11/2020		3 pm	
Site Risk Assessment Completed: <input type="checkbox"/> signature please:			
Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below			
Test	Result (units)	Calculations, dilutions and comments	
Dissolved Oxygen	mg/L	% sat.	
Water Temperature	27°C		
Air Temperature	33°C		
pH	Meter calibrated to pH 7 & pH 10	7.7 pH units	
Electrical Conductivity	Meter calibrated to 1413, 2,000 or 12,800µS/cm	623 µS/cm	
Reactive Phosphorus	mg/L P	0.10	
Turbidity	NTU	7.30	
Weather conditions at the time of sampling:			
<input checked="" type="checkbox"/> sunny <input type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy <input checked="" type="checkbox"/> cloudy			
Rainfall:			
Last rainfall: <input type="checkbox"/> More than week ago <input checked="" type="checkbox"/> During the last week <input type="checkbox"/> During the last 24 hours <input type="checkbox"/> Raining now			
Amount of rain (mm): 25 mm			
Water flow		Water appearance	
Flow indicator (if available) _____ ML/day		<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Milky <input type="checkbox"/> Foamy/foily <input type="checkbox"/> Not flowing (pool) <input type="checkbox"/> Muddy <input type="checkbox"/> Smelly <input type="checkbox"/> Low (minimum) <input type="checkbox"/> High (but below bankfull) <input type="checkbox"/> Scummy <input checked="" type="checkbox"/> Medium (average) <input type="checkbox"/> Permanent (lakes & wetlands) <input type="checkbox"/> Other (description)	
Estimate of flow		<input type="checkbox"/> Flood (over bank) <input type="checkbox"/> Stained brown <input type="checkbox"/> Not flowing (pool) <input type="checkbox"/> Low (minimum) <input type="checkbox"/> High (but below bankfull) <input type="checkbox"/> Permanent (lakes & wetlands) <input type="checkbox"/> Other (description)	
Stream depth		Stream depth	
0 - 50 cm deep		1 to 2 m deep	
Depth indicator _____ m		Unknown depth	
Stream width		Stream width	
Average width of stream: _____ m		> 2 m wide	
<input type="checkbox"/> no <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> yes		<input type="checkbox"/> no <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> yes	
Drain present at site:		Drain present at site:	
Water flowing from drain:		Water flowing from drain:	
<input type="checkbox"/> no <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> yes		<input type="checkbox"/> no <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> yes	
Litter pollutants: (Tick type found)		Litter pollutants: (Tick type found)	
<input type="checkbox"/> paper <input type="checkbox"/> bottles <input type="checkbox"/> plastic <input type="checkbox"/> clothing <input type="checkbox"/> car bodies		<input type="checkbox"/> waxed cardboard <input type="checkbox"/> oil <input type="checkbox"/> petrol/diesel	
<input type="checkbox"/> packets <input type="checkbox"/> cans <input type="checkbox"/> other		<input type="checkbox"/> waxed cardboard <input type="checkbox"/> other	
Circumstantial hazards and additional risks		Waterwatch data management system: Data entry	
Hazard:		Person entering site visit information	
Risk:		Date of entry	
Site visit approved by Coordinator (initial and date)			



**Physical & Chemical Tests Record Sheet**  
(To be completed monthly)

Site Name:		Site Code: <i>CA 768</i>	
Name of Monitoring Group:			
Person(s) Conducting the test: <i>John GREAT</i>			
Date of test: <i>14/1/2021</i>		Time of test: <i>9.20 am/pm</i>	
Site Risk Assessment Completed: <input type="checkbox"/> signature please:			
Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below			
Test	Result (units)	Calculations, dilutions and comments	
Dissolved Oxygen	mg/L	% sat.	
Water Temperature	°C	<i>21</i>	
Air Temperature	°C	<i>20</i>	
pH	Meter calibrated to pH 7 & pH 10	pH units <i>7.1</i>	
Electrical Conductivity (Salinity)	Meter calibrated to 1413, 2,000 or 12,880µS/cm	EC units <i>626</i>	
Reactive Phosphorus	mg/L P	<i>0.01</i>	
Turbidity	N.T.U	<i>220</i>	
Weather conditions at the time of sampling:			
<input checked="" type="checkbox"/> sunny <input type="checkbox"/> cloudy <input type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy			
Rainfall:			
Last rainfall: <input checked="" type="checkbox"/> More than week ago <input type="checkbox"/> During the last week <input type="checkbox"/> During the last 24 hours <input type="checkbox"/> Raining now			
Amount of rain (mm) <i>8 mm</i>			
Water flow		Water appearance	
Flow indicator (if available) _____ ML/day		<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Milky <input type="checkbox"/> Foamy/frothy <input type="checkbox"/> Not flowing (still) <input type="checkbox"/> Muddy <input type="checkbox"/> Smelly <input type="checkbox"/> Low (minimum) <input type="checkbox"/> High (but below bankfull) <input type="checkbox"/> Scummy <input type="checkbox"/> Medium (average) <input type="checkbox"/> Permanent (lakes & wetlands) <input type="checkbox"/> Other (description)	
Estimate of flow		<input type="checkbox"/> Not flowing (pool) <input type="checkbox"/> Low (minimum) <input type="checkbox"/> High (but below bankfull) <input type="checkbox"/> Permanent (lakes & wetlands)	
Flood (over bank)		<input type="checkbox"/> Flood (over bank) <input type="checkbox"/> Permanent (lakes & wetlands)	
Stream depth		<input type="checkbox"/> 0 - 50 cm deep <input type="checkbox"/> 51cm-1m deep <input checked="" type="checkbox"/> 1 to 2 m deep <input type="checkbox"/> Unknown depth	
Stream width		<input type="checkbox"/> _____ m <input type="checkbox"/> < 2 m wide <input checked="" type="checkbox"/> 2 to 5 m wide <input type="checkbox"/> > 5 m wide	
Drain present at site: <input type="checkbox"/> no <input type="checkbox"/> yes    Water flowing from drain: <input type="checkbox"/> yes <input type="checkbox"/> no    Color _____ Odour _____			
Litter pollutants: (Tick type found)			
<input type="checkbox"/> paper <input type="checkbox"/> bottles <input type="checkbox"/> polystyrene <input type="checkbox"/> plastic <input type="checkbox"/> clothing <input type="checkbox"/> car bodies <input type="checkbox"/> petrol/diesel			
<input type="checkbox"/> packets <input type="checkbox"/> cans <input type="checkbox"/> waxed cardboard <input type="checkbox"/> other			
Circumstantial hazards and additional risks			
Waterwatch data management system: Data entry			
Hazard:		Risk:	
Risk Control Measures:			
Date of entry		Site visit approved by Coordinator (initial and date)	