

West Gippsland Waterwatch Volunteer Water Quality Monitoring Data Sheet

Site Details					
Site Code: HAZ015	Site Name: I	Hazel Ck / King st V	MADDACIII		
Site Grid Reference			Northing: 5774710		
Test Details					
Date: 7/ - 122	Person(s)	Conducting the	Toot:	- GARRY M	TYRES Cealing &
Date: 7/5/2 ¹ Time: /6.5	Name o			- 0	OWE/
Theritas of Land and Water					
Preparation					
* pH meter cond	itioned: Y/N (cire	cle)	EC mete	r conditioned	: Ŷ/ N (circle)
l .	rated: ŶN (cir			calibrated:	
				Calibrated.	Y N (circle)
Test Results 9.8					
Water Temp.: ***	Air Temp.: 11.7	°C pH va	alue: 7,8	. Elec. C	onduct.: 3 00 µS
Reactive Phosphorus:	0.015 mg/L (P)	Turbidity:	13 1	NTU
Weather Conditions at Tin	ne of Sampling (please tic				
Sunny	☐ Cloudy	☑ Overcast		Raining	☐ Windy
Last Rainfall (please tick)	η				
☐ More than a week ago	☐ During the last week	During the last	24 hrs	☐ Raining Now	Amount of rain: 2 • 5 mm
		_			Automit of family 1
Water Flow: (please tick) □ Bank-full - High flow within channel capacity, and in-stream habitats connected □ High - Less than bank-full, and in-stream habitats connected □ Medium - Flow is normal / typical average flow □ Low - Minimum flow in channel/ continuous flow in some part of channel (in-stream habitat connected) □ Dry - No continuous flow in channel and no pools □ Pools - No continuous flow in channel and intermittent pools (in-stream habitats not connected)					
Water Appearance (please		_			
Clear	☐ Scummy	☐ Smelly	☐ Foamy / Frothy		☐ Stained Brown
Muddy	Milky	Oily	☐ Staine	d Green	Other:
Stream Depth and Width (p Depth: 9-50cm					
Width: ☑ 2-5m	Other:				
Widti. <u>™</u> 2-5m	Other:				
Circumstantial Hazards and Additional Risks					
Hazard:	_	Risk:			
Risk Control Measures:					
Comment: Key in data, and store the form in our local files in case of later query. (No requirement to post to Traralgon.)					

Conditioning times: pH meter: 2 to 3 hours; EC meter: 10 mins.

