



Physical & Chemical Tests Record Sheet

(To be completed monthly)

Communities Caring for Catchments

Site Name: Greenhill Avenue Footbridge		Site Code: FOR680	
Name of Monitoring Group: Castlemaine Landcare Group			
Person(s) Conducting the test: Anne			
Date of test: 29/4/22		Time of test: 11-45 am/pm	
Site Risk Assessment Completed: <input checked="" type="checkbox"/> signature please: A			
Site risk and management assessment at rear of book. Please note circumstantial hazards and additional risks in the box below			
Test	Result (units)		Calculations, dilutions and comments
Dissolved Oxygen	mg/L % sat.		
Water Temperature	17.0 °C		
Air Temperature	20.7 °C		
pH	Meter calibrated to <input checked="" type="checkbox"/> pH 7 or <input type="checkbox"/> pH 10	7.4 pH units	
Electrical Conductivity (Salinity)	Meter calibrated to <input checked="" type="checkbox"/> 1413, <input type="checkbox"/> 12,880EC	1661 EC units μS/cm.	
Reactive Phosphorus	0.02 mg/L P		
Turbidity	< 9 N.T.U		
Weather conditions at the time of sampling:			
<input type="checkbox"/> sunny <input checked="" type="checkbox"/> cloudy <input type="checkbox"/> overcast <input type="checkbox"/> raining <input type="checkbox"/> windy			
Rainfall:			
Last rainfall: <input checked="" type="checkbox"/> More than week ago <input type="checkbox"/> During the last week <input type="checkbox"/> During the last 24 hours <input type="checkbox"/> Raining now			
Amount of rain (mm): 0.8			
Water flow		Water appearance	
Flow indicator (if available) _____ ML/day			
Estimate of flow			
<input type="checkbox"/> Not flowing (still)		<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Milky <input type="checkbox"/> Foamy /frothy	
<input type="checkbox"/> Not flowing (pool)		<input checked="" type="checkbox"/> Low (minimum)	
<input type="checkbox"/> Medium (average)		<input type="checkbox"/> Muddy <input type="checkbox"/> Smelly <input type="checkbox"/> Stained green	
<input type="checkbox"/> Flood (over bank)		<input type="checkbox"/> High (but below bankfull)	
<input type="checkbox"/> Permanent (lakes & wetlands)		<input type="checkbox"/> Scummy <input type="checkbox"/> Oily <input type="checkbox"/> Stained brown	
<input type="checkbox"/> Other (description)			
Stream depth			
Depth indicator _____ m			
<input checked="" type="checkbox"/> 0 - 50 cm deep <input type="checkbox"/> 51cm-1m deep <input type="checkbox"/> 1 to 2 m deep <input type="checkbox"/> Unknown depth			
Stream width			
Average width of stream: _____ m			
<input checked="" type="checkbox"/> < 2 m wide <input type="checkbox"/> 2 to 5 m wide <input type="checkbox"/> >5 m wide			
Drain present at site: <input type="checkbox"/> no <input checked="" type="checkbox"/> yes Water flowing from drain: <input type="checkbox"/> yes Colour _____ Odour _____			
Litter pollutants: (Tick type found)			
<input type="checkbox"/> paper <input type="checkbox"/> bottles <input type="checkbox"/> plastic <input type="checkbox"/> clothing <input type="checkbox"/> car bodies <input type="checkbox"/> packets <input type="checkbox"/> cans <input type="checkbox"/> polystyrene <input type="checkbox"/> oil <input type="checkbox"/> petrol/diesel <input type="checkbox"/> waxed cardboard <input type="checkbox"/> other			
Circumstantial hazards and additional risks		Waterwatch data management system: Data entry	
Hazard:		Person entering site visit information	
Risk:		Date of entry: Anne 1/6/22	
Risk Control Measures:		Site visit approved by Coordinator (initial and date)	